



VILMARIS

M/V 'VIL ATLANTIC'

TYPE:	HANDY SIZE BULK CARRIER		
CLASS:	LR +100 A1 BULK CARRIER, ESP, BC-A		
SHIPYARD:	JINGLIAN, JIANGSU/CHINA		
BUILT:	02/2010		
FLAG:	LIBERIA		
PORT OF REGISTRY:	MONROVIA		
IMO NO./ CALL SIGN:	9404443/A8VU4		

TONNAGE:	GRT/NRT:	24,165/12,245	
DWAT/DRAFT:	ABT 37,851 MTS ON ABT 10.428 M SSW		
TPC/TPI:	50.1 MT/127.254 MT		
DIMENSIONS:	LENGTH OVER ALL:	189.91 M	
	BREADTH MOULDED:	28.50 M	
	LENGTH BTWN P.P.:	183.00 M	
	DEPTH MOULDED:	15.10 M	
GEAR:	4 CRANES OF 30 MTS		
TYPE OF HATCHCOVERS:	TTS FOLDING TYPE		
HOLDS/ HATCHES:	5/5		
HATCH DIMENSION:	NO. 1	ABT 16.00 (L) x 16.00 (B) M	
	NO. 2-4	ABT 22.40 (L) x 18.00 (B) M	
	NO. 5	ABT 21.60 (L) x 18.00 (B) M	



VILMARIS

HOLD CAPAC CBM GRAIN:	HOLD NO. 1:	7,589.24 CBM
	HOLD NO. 2:	10,766.56 CBM
	HOLD NO. 3:	10,766.56 CBM
	HOLD NO. 4:	10,766.60 CBM
	HOLD NO. 5:	9,068.24 CBM

TOTAL		48,957.16 CBM

CBM BALE:	HOLD NO. 1:	7,485.35 CBM
	HOLD NO. 2:	10,496.01 CBM
	HOLD NO. 3:	10,496.01 CBM
	HOLD NO. 4:	10,496.01 CBM
	HOLD NO. 5:	8,898.73 CBM

TOTAL		47,872.11 CBM

TANK CAPACITY:	FUEL OIL TANKS	ABT 1,804	CBM
	DIESEL OIL TANKS	ABT 175	CBM
	FRESH WATER TANKS	ABT 368.1	MTS
	BALLAST WATER	ABT 11,867.9	MTS

TANK TOP
STRENGTH: 20.0 MTS PER SQM

MAIN ENGINE: WARTSILA SULZER 6RTA48T-B; 7,380 KW

SPEED/ CONSUMPTION:	BALLAST	ABT 13.5 KNOTS	ABT 25.0 MTS IFO
	PLUS	ABT 0.5 MTS MDO	
	LADEN	ABT 13.0 KNOTS	ABT 26.0 MTS IFO
	PLUS	ABT 0.5 MTS MDO	

ABOVE ALWAYS GIVEN BASIS GOOD WEATHER CONDITIONS,
WINDS NOT EXCEEDING FORCE 4 OF THE BEAUFORT SCALE
AND/OR 3 ON THE DOUGLAS SEA CONDITION AND WITHOUT
ADVERSE CURRENTS AND/OR NEGATIVE INFLUENCE OF
SWELL.



VILMARIS

PORT

CONSUMPTION: ABT 3.5 MTS IFO + 0.5 MTS MDO WITH ALL CRANES
WORKING

ABT 2.5 MTS IFO + 0.5 MTS MDO

FUEL SPECS:

BUNKER SPECIFICATIONS AS PER ISO 8217 (2005):

IFO 350 RMG OR - 180 RME

BUNKER UP TO 4 GRADES (4 STORAGE TKS)

MGO - DMA

BUNKER ONLY 1 GRADE (1 STORAGE TK)

(ALL DETAILS ARE 'ABOUT', GIVEN IN GOOD FAITH
BUT WITHOUT GUARANTEE)
